

RECEIVED
CENTRAL FAX CENTERCLARK
&
BRODY

SEP 10 2007

SUITE 250
1090 VERMONT AVE., N.W.
WASHINGTON, DC 20005
TELEPHONE: (202) 835-1111
FACSIMILE: (202) 835-1755

FACSIMILE TRANSMISSION

TO: Examiner: LAZORCIK, Jason L. Art Unit 1617	COMPANY: U.S. Patent and Trademark Office
FAX NUMBER: 571-273-8300	PHONE NUMBER:

From: Christopher W. Brody


Date: September 10, 2007

Total Number of Pages Including Cover Sheet: 11

CERTIFICATION OF FACSIMILE TRANSMISSION

I hereby certify that the attached **Amendment Under 37 CFR 1.116** for U.S. Serial No. **10/743,383** is being facsimile-transmitted to the U.S. Patent and Trademark Office on the date shown below.

Respectfully submitted,



Christopher W. Brody, Reg. No. 33,613

Date: September 10, 2007

If you have not received the total number of pages, please call Tracy Boyden at (202) 835-1111. *Thank you.*

IMPORTANT – This message is intended solely to be used by the individual or entity to which it is addressed. It may contain information which is privileged, confidential and otherwise exempt by law from disclosure. If the reader of this message is not the intended recipient, or an employee or agent responsible for delivering this message to its intended recipient, you are herewith notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us by telephone immediately and return this communication to us at the

SEP 10 2007

Docket No. 12073-0004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

) **ATTENTION AFTER FINAL PRACTICE**) **EXPEDITED HANDLING**

)

Yoshiaki SHIMIZU

)

Examiner: Lazorcik, J.

)

Serial No.: 10/743,383

)

)

Art Unit: 1731

Filed: December 23, 2003

)

For: Method for Processing a Preform for Optical Fiber Using a Burner System (as amended)

AMENDMENT UNDER 37 C.F.R. 1.116

Commissioner of Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Sir:

In response to the Office Action of June 13, 2007, please amend the application as follows.